

Name of the Student: _____

Max. Marks : 21 Marks

Time : 21 Minutes

Q1.

(a) The Sun is a star.

Which galaxy is the Sun in?

Tick **one** box.

Cartwheel

Milky Way

Starburst

Tadpole

(1)

(b) Light takes 500 seconds to travel from the Sun to the Earth.

Light travels at 300 000 kilometres per second.

Calculate the distance between the Sun and the Earth.

Use the equation:

$$\text{distance} = \text{speed} \times \text{time}$$

Distance = _____ kilometres

(2)

The table below gives information about some of the planets in our solar system.

The planets are in order of increasing distance from the Sun.

Planet	Time to orbit the Sun in years
Mercury	0.2
Venus	0.6
Earth	1.0
Mars	
Jupiter	12.0

(c) There are some planets in our solar system missing from the table above.

How many planets are missing?

(1)

(d) Estimate how many years it takes Mars to orbit the Sun.

_____ years

(1)

(e) Calculate how many times Venus will orbit the Sun in 9 years.

In 9 years, Venus will orbit the Sun _____ times.

(2)


(Total 7 marks)

Q2.

Figure 1 shows four blocks of different materials floating on water.

The four blocks are the same volume.

Figure 1



(a) Which of the blocks has the smallest weight?


Tick **one** box.

A B C D

(1)

Figure 2 shows a lifebuoy next to a deep swimming pool.

Figure 2



- (b) The lifebuoy has a mass of 2.5 kg.
gravitational field strength = 9.8 N/kg
Calculate the weight of the lifebuoy.

Use the equation:

$$\text{weight} = \text{mass} \times \text{gravitational field strength}$$

Weight = _____ N

(2)

- (c) When thrown into the water the lifebuoy floats. The two forces acting on the lifebuoy are the weight of the lifebuoy downwards and upthrust upwards.

How big is the upthrust on the lifebuoy compared to the weight of the lifebuoy?

Tick **one** box.

The upthrust is greater than the weight.

The upthrust is less than the weight.

The upthrust is the same as the weight.

(1)

(d) Write down the equation which links acceleration, mass and resultant force.

(1)

(e) A rope is used to pull the lifebuoy to the side of the swimming pool.

A resultant force of 4.0 N acts on the lifebuoy.

The mass of the lifebuoy is 2.5 kg.

Calculate the acceleration of the lifebuoy.

Acceleration = _____ m/s²

(3)


(Total 8 marks)

Q3.

Figure 1 shows a container filled with water.

The three holes in the side of the container are sealed with rubber stoppers.

Figure 1



(a) The water exerts a force of 27 N on the bottom of the container.

The cross-sectional area of the bottom of the container is 0.009 m².

Calculate the pressure exerted by the water on the bottom of the container.

Use the equation:

$$\text{pressure} = \frac{\text{force}}{\text{area}}$$

Choose the unit.

kg/m ³	N/m	Pa
-------------------	-----	----


Pressure = _____ Unit = _____

(3)

The container is put under running water from a tap and the three rubber stoppers removed.

Figure 2 shows the path taken by the water escaping from the top and bottom holes.

Figure 2



(b) Complete **Figure 2** to show the path taken by the water escaping from the centre hole.

(1)


(c) What can be concluded from **Figure 2** about the pressure in a liquid?

(1)

(d) **Figure 3** shows a simple model of a liquid.

When a force pushes down on the marbles, the marbles push the sides and bottom of the container outwards.

Figure 3



What can be concluded from this model about the pressure in a liquid?

(1)
(Total 6 marks)