

Name of the Student: _____

Max. Marks : 18 Marks

Time : 18 Minutes

Q1.

The figure below shows an incomplete electromagnetic spectrum.

A	microwaves	B	C	ultraviolet	D	gamma
----------	-------------------	----------	----------	--------------------	----------	--------------

- (a) What name is given to the group of waves at the position labelled
- A**
- in the figure above?

Tick **one** box.

infrared

☐

radio

☐

visible light

☐

X-ray

☐**(1)**

- (b) Electromagnetic waves have many practical uses.

Draw **one** line from each type of electromagnetic wave to its use.**Electromagnetic
wave****Use**

Gamma rays

For fibre optic
communicationsFor communicating with a
satellite

Microwaves

To see security markings

Ultraviolet

To sterilise surgical instruments

(3)

(c) Complete the sentence.

Use an answer from the box.

black body

ionising

nuclear

X-rays can be dangerous to people because X-rays are

_____ radiation.


(1)

(Total 5 marks)

Q2.

Infrared and microwaves are two types of electromagnetic radiation.

The diagram below shows the positions of the two types of radiation within part of the electromagnetic spectrum.



(a) Name **one** type of electromagnetic radiation which has more energy than infrared.

(1)

(b) Use the correct answer from the box to complete each sentence.

Each answer may be used once, more than once or not at all.

greater than

less than

the same as

The wavelength of infrared is _____ the wavelength of microwaves.

The frequency of microwaves is _____ the frequency of infrared.

The speed of microwaves in a vacuum is _____ the speed of infrared in a vacuum.

Q3.

Figure 1 shows an X-ray of an arm with a broken bone.

Figure 1



© emmy-images/iStock


- (a) Complete the following sentence.

X-rays are part of the _____ spectrum.

(1)

- (b) **Figure 2** shows how the intensity of the X-rays changes as they pass through soft tissue and reach a detector.

Figure 2



- (i) Use **Figure 2** to determine the intensity of X-rays reaching the detector for a 3 cm thickness of soft tissue.

Intensity of X-rays = _____ arbitrary units

(1)

- (ii) Describe how the thickness of soft tissue affects the intensity of the X-rays.

(2)

- (iii) The data in **Figure 2** are shown as a line graph and not as a bar chart.

Choose the reason why.

Tick (✓) **one** box.

Both variables are categoric

☐

Both variables are continuous

☐

One variable is continuous and one is categoric

☐

(1)

- (c) What happens to X-rays when they enter a bone?

(1)

- (d) How are images formed electronically in a modern X-ray machine?

Tick (✓) **one** box.

With a charge-coupled device (CCD)

☐

With an oscilloscope

☐

With photographic film

☐

(1)

- (e) Radiographers who take X-ray photographs may be exposed to X-rays.

- (i) X-rays can increase the risk of the radiographer getting cancer.

Why can X-rays increase the risk of getting cancer?

Tick (✓) **one** box.

X-rays travel at the speed of light

☐

X-rays can travel through a vacuum

☐

X-rays are ionising

☐

(1)

(ii) What should the radiographer do to reduce the risk from X-rays?

(1)

(Total 9 marks)