

Name of the Student: _____

Max. Marks : 17 Marks

Time : 17 Minutes

Mark Schemes

Q1.

Question number	Answer	Additional guidance	Mark
(i)	rearrangement of $\text{work} = \text{force} \times \text{distance}$ to give $\text{distance} = \text{work} \div \text{force}$ (1) substitution and evaluation (1) 18 (m)	seeing $2700 \div 150$ Award full marks for correct answer without working	(2)

Question number	Answer	Mark
(ii)	2700 (J)	(1)

Question number	Answer	Additional guidance	Mark
(iii)	rearrangement of $\text{KE} = \frac{1}{2}mv^2$ $v = \sqrt{2 \times \text{KE} \div m}$ (1) substitution and evaluation (1) 19 (m/s)	$v = \sqrt{2 \times 2700 \div 15}$ $v^2 = (2 \times 2700 \div 15)$ allow answers that round to 19 award full marks for correct answer without working allow alternative route using $v^2 - u^2 = 2ax$ for full marks	(2)

Question number	Answer	Additional guidance	Mark
i	rearrangement and substitution (1) $(\Delta\theta =) \frac{210 (x10^3)}{5.8 \times 860}$ evaluation (1) 42 (°C)	$(\Delta\theta =) \frac{210 (x10^3)}{4988}$ accept any value which rounds to 42 e.g. 42.10 award full marks for the correct answer without working 4.2 to any other power of 10 scores 1 mark	(2) AO2.1

Question number	Answer	Additional guidance	Mark
ii	an explanation linking any two from not all the energy supplied goes to the <u>brick</u> (1) not all the energy supplied stays in the <u>brick</u> (1) energy transferred to the storage heater parts (1)	ignore: • energy is lost / wasted, unqualified • not 100% efficient • arguments about sound energy accept heat for energy throughout less (thermal) energy given to <u>brick</u> energy transfers from the <u>brick</u>	(2) AO2.1

	<p>energy transferred to the surroundings (1)</p> <p>argument linking $\Delta\theta$ to ΔQ using $\Delta\theta = \frac{\Delta Q}{m \times c}$ (1)</p>	<p>energy dissipated</p> <p>from the equation, if energy supplied to the block is smaller the change of temperature will be smaller</p> <p>'brick transfers (thermal) energy to the surroundings'</p> <p>scores 2 marks</p>	
--	--	---	--

Question Number	Answer	Additional guidance	Mark
(i)	substitution (1) $(\Delta GPE =) (0.0)46 \times 10 \times 2.05$ evaluation (1) 0.94(3) (J)	allow $g = 9.8(1) \text{ m/s}^2$ 0.9 (J) values that round to 0.92 or 0.93 (from using $g = 9.8$ or 9.81) do not award for 1(J) no POT error in evaluation award full marks for the correct answer without working.	(2)

Question Number	Answer	Additional guidance	Mark
(ii)	<p>recall (1) $(KE =) \frac{1}{2} \times m \times v^2$</p> <p>substitution (1) $(KE =) \frac{1}{2} \times (0.046 \times 3.5^2$</p> <p>evaluation (1) 0.28 (J)</p>	<p>allow answers that round to 0.28 e.g. 0.28175 (J)</p> <p>allow max 2 marks for POT error e.g. 0.00028</p> <p>award full marks for the correct answer without working</p>	(3)

Question Number	Answer	Additional guidance	Mark
(iii)	Any value between 0.8 (m) and 0.95 (m) inclusive		(1)

Question Number	Answer	Additional guidance	Mark
(iv)	<p>An explanation linking (the ball) has lost energy (1)</p> <p>identification of what has happened to that energy (1)</p>	<p>accept (energy) dissipated or (transferred to) surroundings / ground or thermal energy or heat / sound or system is not 100% efficient or bounce is not (100%) elastic or squashing (the ball or the ground)</p>	(2)