Practice Question Set For GCSE

Subject: Physics

Paper-2 Topic : 14_Particle model



Name of the Student:

Max. Marks: 19 Marks

Time: 19 Minutes

Mark Schemes

Q1.

Question number:	Answer	Additional guidance	Mark
(i)			(4) AO 1 2
	(measurement of) the mass of water (1)	accept volume / weight of water ignore amount	
	(measurement of) the temperature (rise/change) (1)	accept (take) thermometer reading	
	(measurement of) the energy supplied / from heater (1)	accept (take) reading of the joulemeter ignore 'change in thermal energy' (from equation)	
	detail of any of the above (1)	e.g. measure temp at the start and end or measure mass of empty cup or start and end readings on the meter	

Question Number:	Answer	Additional guidance	Mark
(ii)	any two improvements from:	both marks can be scored in one answer space	(2) AO 3 3b
		ignore repeating readings ignore increase voltage / power / energy ignore use of clamp to hold thermometer / heater	
	add lid /cover (1)		
	add lagging / insulation (1)	accept use better insulator or better insulated / thicker cup accept use calorimeter	
		ignore use glass beaker unless cup is inside it ignore different type of cup	
	add a stirrer (1)		
	use a more sensitive thermometer (1)	accept use digital / electric thermometer / data logger	
	ensure heater fully submerged (1)		

Question number	Answer	Additional guidance	Mark
(i)	two from: lagging (1) lid (1) repeat and average (1) surround heater/thermometer with oil (1)	repeat with different time/temp rise/power Allow to reach maximum temperature at switch off.	(2)

Question number	Answer	Additional guidance	Mark
(ii)	temperature rise = 34 (°C) (1)		(3)
	substitution (1) 50 x 300 0.92 x 34	ecf temperature rise	
	evaluation (1) 480 (J/kg°C)	award full marks for correct answer without working	

Question number	Answer	Additional guidance	Mark
1	(headings to the table should have) units or names (1)	accept any correct unit suggestion e.g. cm³ / Pascals or any correct name e.g. pressure / volume	(1) AO3

Question number	Answer	Additional guidance	Mark
ii	attempts to find any 'in between number' (interpolates) (1)	accept any number between 16.6 and 17.9	(2) AO3
	evaluation (1) 17.2, 17.3 or 17.25	award full marks	
		for correct answer without working	

Question number	Answer	Additional guidance	Mark
Ш	Suggestions, including any two from: take intervening pressure reading(s) (1)		(2) AO3
	give (plenty of) time between readings (1)		
	use apparatus with smaller scale divisions (1)	e.g. steps of 0.2 cm³ on volume scale	
	take repeat readings and average (1)	allow repeat to check for anomaly	
	make sure temperature stays constant (1)	e.g. check temperature of the room	
		ignore any ideas of extending	
		the investigation	

Question number	Answer	Additional guidance	Mark
iv	An explanation including any three from:		(3) AO3
	any reference to data from the table (1)	e.g. no, because almost all the (pV) values are different	
	(the product) p x V remains constant (1)		
	for most readings p x V is similar / close to 2800 (1)		
	which points to $p_1 \times V_1 = p_2 \times V_2$ (1) OR equation doesn't fit because values are different (mp4 dependent upon mp2 / mp3)	agrees / disagrees with hypothesis	
	last value(s) of p x V discordant compared with the others (1)	last value(s) values of pV don't agree	5